

MALE PCB PINS

PRINTED CIRCUIT PINS

<p>3169 3169-0-00-15-00-00-03-0 V-Groove Header Pin Also available on Kapton Tape</p>	<p>1140 1140-0-01-XX-00-00-03-0 Press-fit in 1,45 mounting hole For wire sizes up to 20 AWG</p>	<p>1160 1160-0-01-XX-00-00-03-0 Press-fit in 2,03 mounting hole For wire sizes up to 16 AWG</p>	<p>1178 1178-0-01-XX-00-00-03-0 Press-fit in 2,54 mounting hole For wire sizes up to 14 AWG</p>					
<p>4658 4658-0-00-XX-00-00-08-0 Swage mount 1,09 mounting hole</p>	<p>4275 4275-0-00-XX-00-00-08-0 Swage mount 1,09 mounting hole</p>	<p>9103 9103-0-00-XX-00-00-08-0 Swage mount 1,09 mounting hole</p>	<p>4357 4357-0-00-XX-00-00-03-0 Solder mount 1,63 mounting hole</p>					
<p>4639/4717 4XXX-0-00-XX-00-00-08-0 Swage mount 1,65 mounting hole</p> <table border="1" data-bbox="511 1333 738 1522"> <thead> <tr> <th>Basic Part Number</th> <th>Pin Length A</th> </tr> </thead> <tbody> <tr> <td>4639-0</td> <td>10,97</td> </tr> <tr> <td>4717-0</td> <td>8,43</td> </tr> </tbody> </table>	Basic Part Number	Pin Length A	4639-0	10,97	4717-0	8,43	<p>9242 9242-0-00-XX-00-00-08-0 Swage mount 2,39 mounting hole</p>	<p>4650 4650-0-00-XX-00-00-03-0 Solder mount 1,65 mounting hole</p>
Basic Part Number	Pin Length A							
4639-0	10,97							
4717-0	8,43							

SPECIFICATIONS:

Pin Material: Brass Alloy 360, 1/2 Hard
(Except where noted)

Dimensions: Inches

Tolerances On: Lengths: $\pm 0,13$
Diameters: $\pm 0,051$
Angles: $\pm 2^\circ$



ORDER CODE: XXXX - 0 - 00 - XX - 00 - 00 - 03 - 0

BASIC PART # →

→ **SPECIFY PIN FINISH:**

- 01 5,08μm TIN/LEAD OVER NICKEL
- ◆ 80 5,08μm TIN OVER NICKEL (RoHS)
- ◆ 15 0,25μm GOLD OVER NICKEL (RoHS)
- ◆ 21 0,51μm GOLD OVER NICKEL (RoHS)
- ◆ 34 1,27μm GOLD OVER NICKEL (RoHS)

